

DATE: 04/12/2019 REV N°: 4 MOD: 4.1.3. UK

### **TECHNICAL DATA SHEET**

#### 1. TRADE NAME: BED BUGS TRAP

Monitoring device for *Cimex lectularius* (bed bugs).

Monitoring device for the IPM application complying with UNI EN 16636:2015 Regulation, that must be applied to control regularly the pests presence in a specific place for a defined time.

#### 2. PRODUCT CODE: P-04179DIN

**3.** PICTURE:



**4.** TECHNICAL SPECIFICATIONS: Bed Bugs Trap is a monitoring device (glue trap).

### It is composed of:

- Plasticized cardboard;
- Hot-melt adhesive;
- White silicon release paper, with the release instructions printed in black;
- Double sided tape in the back-side of the trap, for its positioning on the wall;
- Transparent flow-pack package;
- Cardboard skillet;
- Cardboard display.



# **TECHNICAL DATA SHEET**

### Trap size:

Not assembled trap:

- Length: 160 mm
- Width: 85 mm

Quantity of glue on the trap surface: 0,7 g per trap

Glue Area: 2 areas 70 x 40 mm (= 56 cm<sup>2</sup>)

Trap color: As in the picture

### 5. HOW TO USE:

Place Bed Bugs Trap in the following places:

- Under the sofa cushions in the hotel halls;
- Under the seats of trains, buses, ferries, etc...;
- In the rooms of hotels, motels, hostels, prisons, hospitals, etc.

Assemble the trap and place the dispenser as indicated in picture.



The particular trap shape induces bed bugs to shelter inside it, since it reproduces an habitat they appreciate. Bed bugs remain stuck on the trap surface.

Suggested monitoring period: all the yearlong.

**Suggested frequency of the controls:** weekly. Change the trap after three months (at the latest) or before according to the pest infestation or the presence of dust, water and/or damp in the environment.

The use of Bed Bugs Trap in dusty places could undermine its efficaciousness.

**Storage conditions:** in a cool and dry room, temperature below 25°C and R.H. below 55%. If well stored (intact packaging), the product shelf life is 3 years.

DATE: 04/12/2019 REV N°: 4 MOD: 4.1.3. UK



## **TECHNICAL DATA SHEET**

- 6. PACKAGING AND SPARE PARTS:
- N.2 traps in flow pack per skillet.
- N.12 skillets per display.

The packaging can be customized basing on customer's needs.

7. DISPOSAL CONSIDERATIONS:

Waste disposal should be in accordance with existing Community, National and local regulations.